

INDEX

A

- Accept Incoming Connections connection objects, 319–20
 - creating, 338
- Accept Incoming Connections option, 308, 319–20
- access control
 - attention sequence, 207
 - user accounts and, 166–67
- access control list (ACL)
 - defined, 223
 - for objects, 206
 - security model and, 204
 - Security Reference Monitor and, 19
- Access Control Settings dialog box, 141, 143–44
- Accessibility Options, 49, 81–82
 - troubleshooting, 82
- access permissions, 166
- access rights, 177–78
- access tokens, 18, 204
 - components of, 205
 - defined, 224
 - logon authentication and, 205
- account lockout, 168, 193
 - automatic, 211
- account lockout policy, 186–87, 208
 - defined, 192
- Account Policy Lockout dialog box, 186
- ACL. *See* access control list (ACL)
- Action menu, Disk Management tool
 - All Tasks submenu, 124–25
 - commands, 124–25
 - Properties dialog boxes, 125–28
- Action menu, Microsoft Management Console (MMC), 75
- Action tab
 - Alert objects Properties dialog box, 395
- Active Directory
 - defined, 2, 6, 22, 224
 - domain security and, 204
 - Users and Computers interface, 178
- active partitions, 41, 114
 - defined, 59, 150
- ActiveX Control console, 78
- Adaptec 2940 SCSI controller
 - self-test, 479
- Add Counters dialog box, 386
- Add Mirror command, 124
- Add Network Place, 147
- Add New User Wizard, 171–73
- Add Printer icon, 355
- Add Printer Wizard, 344, 368, 369
- Add/Remove Hardware Wizard,
 - 82–84, 92, 95
- Add/Remove Programs applet, 84–85
- Add/Remove Snap-In command, 77, 107–108
- Add/Remove Windows Components Wizard, 84–85, 108
- Address Resolution Protocol (ARP),
 - 240, 242, 257
 - defined, 266
- Add Scheduled Task Wizard, 79, 107
- Add Standalone Snap-in dialog box, 77
- .adm files, 213
- Administrative Templates, 214
 - in Computer Configuration folder, 215–16
 - in User Configuration folder, 216–17
- Administrative Tools, 83, 85, 184
 - consoles, 76–77
 - viewing, 30–31
- Administrator account, 57, 180
 - characteristics of, 168–69
 - defined, 59
 - installation and, 54
 - renaming, 168, 169
- Advanced Options, 49
 - selecting startup options, 484–86
- Advanced Power Management (APM), 89
- Advanced RISC Computing (ARC)
 - pathnames, 488
 - defined, 495
- Advanced Security Settings dialog box for private network connection objects, 312–14
- Advanced Settings dialog box for Network and Dial-up Connections, 254
- advanced setup options, 53
- Advanced tab
 - Phone and Modem Options applet, 323
 - Printer Properties dialog box, 358–60
 - System Control Panel, 488–89
 - Users and Password applet, 173
- Advanced TCP/IP Settings dialog box, 264–65
- AGP (Accelerated Graphics Port) devices, 100
- alerts, 394–96
 - actions of, 395
 - configuring, 394
 - creating, 412–13
 - defined, 394, 406
 - uses of, 534
- .alt files, 461
- Anonymous Logon system group, 181
- answer file, 41, 43
 - creating, 67–71
 - defined, 59
- APIs. *See* application programming interfaces (APIs)
- AppleTalk
 - defined, 22
 - support for, 8, 251
- applets
 - Control Panel, 81–92
 - defined, 81, 101
- Application Data directory, user profile, 181
- Application logs
 - defined, 550
 - in Event Viewer, 396, 398
 - information recorded in, 532

- application priority
 - increasing, 405
 - setting, 398–99
- application programming interfaces (APIs)
 - defined, 17, 22
 - POSIX and, 422
- applications
 - monitoring, 409–410
 - restoring with Windows Installer Service (WIS), 505–506
 - threading and, 418–19
 - Windows 2000 architecture and, 416
- Applications tab, Task Manager, 383
- Apply argument, for Sysdiff, 45
- architecture, 16–21
 - components of, 416
 - defined, 22
 - environment subsystems, 416, 419–22
 - kernel mode, 16, 18–21, 416, 417
 - OS/2 subsystem, 421–22
 - POSIX subsystem, 422
 - processes, 418–19
 - threads, 419
 - user mode, 16, 17–18, 416, 417
 - Windows 2000 system, 416–22
 - Win32 subsystem, 421
- ARC pathnames. *See* Advanced RISC Computing (ARC) pathnames
- Area Code Rules tab, Phone and Modem Options applet, 322
- ARP. *See* Address Resolution Protocol (ARP)
- Asynchronous Transfer Mode (ATM), 241
 - defined, 266
- attention sequence, 18, 207
- auditing, 218–21
 - defined, 143, 150, 218, 224
 - enabling, 233–34
- Auditing tab, 220–21
 - Access Control Settings dialog box, 143
 - Printer Properties dialog box, 362
- audit policy, 187–88
 - defined, 192
- Audit Policy dialog box, 187
- Authenticated Users group, 180
- Authenticated Users system group, 180
- authentication, 17–18
 - defined, 224

- Kerberos, 211–212
 - logon, 167–68, 205–206
 - mutual, 212
 - network, 211–212
 - NTLM, 213
- author mode
 - defined, 101
 - snap-ins and, 76
- AutoAdminLogo key, 210
- Autocheck, 493
- AutoComplete, 12, 13
- autodetection, of frame types, 238, 283
- Autodial, 302
- AUTOEXEC.BAT, 426, 427
- AUTOEXEC.NT, 426–27, 445
- automated logon, 210
- automated tasks, 107
- automatic account lockout, 211
- Automatic Dialing and Hanging Up dialog box, 311, 312

B

- Backup Operators group, 180
- backups
 - with IntelliMirror, 504–505
 - Registry, 463–64
 - of Registry keys, 473–74
 - scheduling, 521–23
 - specifying backup type, 509
 - specifying files for, 508
- backup type, 509
 - defined, 514
- Backup utility, 506–510
 - defined, 514
 - manual backups with, 507–510
 - options, 506
 - scheduling backups, 521–23
 - specifying backup type, 509
 - specifying files for backup, 508
 - using Backup Wizard, 507
- Backup Wizard
 - changing backup type, 509
 - creating backups with, 507
 - using, 520
- backward compatibility, 419
- baseline
 - defined, 406
 - performance, 382
- base priority
 - defined, 438
 - in Win32 applications, 424
- basic storage, 114–16
 - defined, 114, 150
 - dynamic storage *vs.*, 118
 - reverting to, 119
- Berkeley R. utilities, 260
- Berkeley Software Distribution (BSD), 260
- bindery, 292
 - defined, 293
- bindery-based networks
 - connecting to NetWare resources in, 290
- binding(s)
 - complete, 254
 - defined, 236, 254
 - managing, 254–55
 - priorities, 255
 - viewing, 275
- biometric authentication, 6
- BIOS (basic input/output system)
 - boot process and, 480–81
 - defined, 495
- bootable CD-ROM installation, 47–48
- Boot.ini, 39, 482, 483
 - boot loader section of, 486
 - defined, 59
 - editing in Control Panel, 488–89, 499–500
 - editing in text editor, 490, 500
 - operating systems section of, 486, 487
 - switches, 487
- boot loader, 38, 482–84, 486
 - defined, 59
- boot menu, 38
- boot partition
 - boot process and, 481
 - defined, 116, 150, 495
- boot phase, 478–90
 - boot loader, 481–84
 - hardware detection, 484
 - initial start-up sequence, 479–81
 - power-on self test (POST), 478–79
 - steps in, 478
- boot process, 477–94
 - Advanced RISC Computing (ARC) pathnames, 488
 - advanced startup options, 484–86
 - boot phase, 478–90
 - configuration, 486–88

- defined, 478, 495
- editing boot.ini, 488–90
- load phase, 478, 490–93
- multiple-boot systems, 493–94
- operating system selection, 487
- rebooting into Safe Mode, 500–501
- rebooting into Safe Mode, with
 - Networking, 502
- rebooting with Last Known Good Configuration (LKGC), 501
- rebooting with minimal
 - VGA support, 501
- troubleshooting, 484–86
- Bootsect.dos, 482, 483
- boot selection menu, 483
 - defined, 495
- bottlenecks, 399–403
 - common, 401–403
 - defined, 399, 406
 - disk, 401–402, 406
 - memory, 402, 406
 - monitoring, 400–401
 - network, 403, 407
 - performance and, 382
 - processor, 402–403, 407
- bound applications, 436–37
 - defined, 438
- boundary layers, 247
 - defined, 266

C

- cache, 404
- Cache Manger, 19
- Caching Settings dialog box, 146
- Call Back radio button, 303
- callback security, 303
- Calling Card tab, Phone and Modem
 - Options applet, 322
- case sensitivity, POSIX support for, 122
- CD-ROM drives
 - installation, 47–48
 - troubleshooting, 535
 - Windows 2000 Professional
 - requirements, 9
- central processor unit (CPU)
 - installing faster CPU, 404
- Processor (CPU) objects, 387
 - usage, 383–84
- certificate management, 173
- certificates
 - defined, 224

- SSL, 212
- Certificates console, 78
- Challenge Handshake Authentication Protocol (CHAP), 314
- Change Drive Letter and Path command, 124
- Change Permissions, 143
- CHAP. *See* Challenge Handshake Authentication Protocol (CHAP)
- characterization data files, 347
 - defined, 369
- child nodes, 149
- child processes, 419, 438
- CIDR. *See* Classless Interdomain Routing (CIDR)
- CIPHER command, 222–23
- Classless Interdomain Routing (CIDR), 257
- clean (fresh) installation, 49
 - defined, 59
- client applications, 344, 369
- Client for Microsoft Networks, 281
- Client Installation Wizard, 513
- Client (Respond Only) policy, 215
- clients
 - defined, 2, 22
 - in domain model, 14
 - multiple, 7
 - in workgroup model, 14
- client/server environment
 - group management and, 178
- Client Service for NetWare (CSNW), 248, 251, 284–85, 292–93
 - assigning default tree, 287–88
 - defined, 266, 293
 - installing and configuring, 287–89, 296–97
- Login Script Options, 288, 289
- Preferred Server *vs.* directory tree, 288
- Print Options, 288–89
- redirector, 284
- support for bindery servers, 285
- support for Novell Directory Services servers, 285
- version, 284
- CloneControlSet, 492
- clusters
 - defined, 120, 150
 - sizes, for FAT16, 120–21
 - sizes, for FAT32, 120–21
 - sizes, for NTFS, 120–21

- CMOS chip, 478, 480
 - defined, 495
- color schemes
 - high contrast, 82
 - setting, 86
- Colors tab
 - System Monitor Properties dialog box, 392
- Command Prompt window
 - launching, 260
- compatibility
 - Windows 2000 support, 7–8
- complementary metal oxide semiconductor chip. *See* CMOS chip
- complete binding, 254
- Component Services console, 76, 78
- COM ports
 - for direct connection objects, 320–21
- Compreg.exe, 466
- compression
 - files, 123
 - folders, 160
- Computer Configuration section
 - of local computer policy, 213, 214–16
- computer ID
 - NWLink and, 283
- computer information files (CIFs), 528–30
 - content of, 528–29
 - defined, 550
 - extracting information from, 555
- Computer Management tool, 76, 78, 83, 533–34, 556
 - removable media and, 97
- computers
 - buying faster machine, 403
 - upgrading, 404
- Computers Near Me, 147, 290
- CONFIG.NT, 426–27, 445
- CONFIG.SYS, 426, 427
 - OS/2 and, 437
- configuration recovery
 - with IntelliMirror, 505
- conflicts, hardware, 95–96
- Connect dialog box, 307–308, 334–35
- Connect Directly to Another
 - Computer connection objects, 320–21, 339
- Connect Directly to Another
 - Computer option, 308, 320–21

connecting to printers, 344, 369
 connectionless protocols, 240
 connection-oriented protocol *vs.*, 258
 defined, 266–67
 connection objects
 direct, 320–21, 339
 incoming, 319–20, 338
 Internet, 317–18, 335–37
 private network, 308–316, 334–35
 VPN, 318–19
 connection-oriented protocols
 connectionless protocol *vs.*, 258
 defined, 267
 Transmission Control Protocol (TCP), 240
 Connection Status dialog box, 317–18
 connectivity
 Windows 2000 support for, 8–9
 Connect to a Private Network through the Internet connection objects, 317–18
 creating, 337–38
 Connect to a Private Network through the Internet option, 308, 318–19
 consoles, 74–77
 creating, 106–107
 custom, 77
 defined, 74, 101
 for Microsoft Management Console (MMC), 74–75
 Content Advisor, 87
 context
 assigning, 288–89
 defined, 293, 419, 438
 of objects in NDS tree structure, 286
 context switches, 420–21
 defined, 438
 Control Panel, 81–94, 101
 Accessibility Options applet, 81–82
 Add/Remove Hardware applet, 82–84
 Add/Remove Programs applet, 84–85
 Administrative Tools item, 85
 Date/Time applet, 85
 defined, 73, 81, 102
 Display applet, 85–86
 Driver Signing Options dialog box, 92
 editing Boot.ini in, 488–89

Environmental Variables dialog box, 94
 Fax applet, 86
 Folder Options applet, 87
 Fonts applet, 87
 Game Controllers applet, 87
 Internet Options applet, 87–88
 Keyboard applet, 88
 Mouse applet, 88
 Network and Dial-up Connections applet, 88
 Phone and Modem Options applet, 88
 Power Options applet, 89
 Printers applet, 89
 Regional Options applet, 90
 Scanners and Cameras applet, 91
 Scheduled Tasks applet, 91
 Sounds and Multimedia applet, 91
 Startup and Recovery Options dialog box, 94
 System applet, 91–92
 Users and Passwords applet, 94
 Virtual Memory dialog box, 93
 wizards, 12
 control set, 491
 defined, 495
 CONVERT utility, 124
 cookies, 181
 Cookies directory, user profile, 181
 cooperative multitasking, 4–5, 432
 defined, 22
 copy backups, 509
 defined, 514
 copying NTFS objects, 144–45
 Counter logs, 382, 390
 creating, starting, and stopping, 411
 defined, 392
 defining, 393
 using, 392–94
 viewing data from, 411–12
 counters
 defined, 386, 406
 monitoring, 386–87
 types of, 387–90
 CPU. *See* central processor unit (CPU) crashes
 in user mode, 417, 420
 Create Files/Write Data permission, 142
 Create Partition command, 124
 Create Volume command, 124

Create Volume Wizard, 117–19
 creating printers, 344, 369
 Creator Owner system group, 180
 critical sections, 423
 defined, 438
 CSNW, 249. *See* Client Service for NetWare (CSNW)
 Ctrl+Alt+Delete keystroke combination, 207
 CurrentControlSet, 492

D

daily backups, 509
 defined, 505–14
 Data Link Control (DLC), 243
 defined, 22, 267
 Windows 2000 support for, 8
 Data Sources (ODBC) console, 76
 Data tab
 System Monitor Properties dialog box, 391
 data types
 defined, 466
 for print jobs, 347–48, 349
 of value entries, 449–50
 date
 setting with Date/Time applet, 85, 108
 Date/Time applet, 85, 108
 DCOM. *See* Distributed Component Object Model (DCOM)
 DDE. *See* Dynamic Data Exchange (DDE)
 Debugging Mode, 485
 DefaultDomainName key, 210
 default gateway, 262
 DefaultPassword key, 210
 defaults
 Registry and, 450–51
 settings in boot loader, 486
 default user accounts, 168–69
 Administrator, 168–69
 Guest, 169
 default username, disabling, 208, 229
 DefaultUserName key, 210
 defragmentation, 131, 150
 Delete Partition command, 124
 Delete permission, 142
 Delete Subfolders and Files permission, 142
 demand paging, 21

- dependency failures, 536
- desktop, 28–29, 33
- Desktop directory, user profile, 181
- Desktop Management Interface (DMI), 242
- despooling, 345
- Device Driver Interface (DDI), 347
 - defined, 369
- device drivers, 19
- Device Manager, 78, 83, 92, 95–97
 - accessing, 95
 - hardware resource conflicts and, 95–96
 - monitoring and managing devices in, 110
 - uses of, 534
 - viewing resource state with, 96–97
- devices. *See also* hardware
 - conflicts, 95–96
 - Control Panel and, 81
 - defined, 81
 - installing, 82–83, 94–97
 - monitoring and managing in Device Manager, 110
 - removing, 84
- Device Settings tab
 - Printer Properties dialog box, 362–63
- DFS child nodes, 149
- DFS (Distributed File System), 149, 150
- DHCP. *See* Dynamic Host Configuration Protocol (DHCP)
- DHCP Manager, 46
- DHCP servers, 258
- Dial button, 307–308
- dialing rules
 - for remote access devices, 321–23
- Dialing Rules tab
 - Phone and Modem Options applet, 321–22
- dialog boxes, 11
- Dialup system group, 181
- Dial-Up to Private Network connection objects, 308–316
 - creating, 334–35
- Dial-Up to Private Network option, 307, 308–316
- Dial-Up to the Internet connection objects, 317–18, 335–37
- Dial-Up to the Internet Wizard, 307, 317–18
- dictionary attack, 208
- Diff argument, for Sysdiff, 45
- differential backups, 509
 - defined, 514
- digital cameras, 91
- direct-attached printers, 344, 369
- direct connection objects, 320–21, 339
- Directory objects, 20
- Directory Service log, 532
- Directory Services Restore Mode, 485
- disabled
 - default username, 208, 229
 - defined, 168, 192
 - local user accounts, 175
 - Offline Files, 341–42
 - user accounts, 175
- disaster recovery, 503–513
 - with Backup utility, 506–510
 - defined, 503
 - with IntelliMirror, 503, 504–506
 - with Recovery Console, 510–13
- disk bottlenecks, 401–402
 - defined, 406
- Disk Cleanup tool, 129–30
- Disk Defragmenter, 78, 131–32, 535
- Disk Management tool, 78, 544–45
 - Action menu, 124–28
 - defined, 150
 - manipulating storage devices on
 - remote computers with on, 125
 - upgrading to dynamic storage using, 116–19
 - uses of, 535
- diskperf command, 387, 401
- disk quota, 121, 150
- disks. *See also* hard disks
 - setup boot, 40, 59, 65
- disk striping with parity, 115
- Display applet, 85–86
 - video adapters and, 100–101
- Distributed Component Object Model (DCOM)
 - as IPC programming interface, 246
- Distributed File System (DFS), 149, 150
- DLC Protocol, 251
- DMA (direct memory access)
 - defined, 102
 - hardware resource conflicts and, 96
- DNS. *See* Domain Name Service (DNS)
- DNS Service log, 532
- docking stations, 84, 102
- domain controllers (DC), 15, 211
 - communications problems, 536
 - defined, 22, 224
- domain model, 15–16
 - defined, 22
- Domain Name Service (DNS), 240, 242, 261
 - configuring, 264–65
 - defined, 267
 - DNS Service log, 532
 - uses of, 535
- domains
 - defined, 2, 166, 192, 211, 224
 - user accounts and, 170
- domain security, 204, 211–13
 - Active Directory and, 204
 - authentication services, 211–12
 - defined, 211, 224
 - Kerberos, 211–12
 - NTLM, 213
 - SSL/TLS, 213
- domain user accounts, 166, 291
- Domain Users group, 180
- DontDisplayLastUserName, 208
- DOS applications
 - Properties configuration of, 444
 - properties of, 428–32
 - well-behaved, 435
- DOS operating environment, 425. *See also* virtual DOS machines (VDMs)
 - customizable controls for, 428–32
 - defined, 438
- DOS partition, 41
- DOS Protected Mode Interface (DPMI), 426
- DOS setup method, 48
- DPMI. *See* DOS Protected Mode Interface (DPMI)
- Dr. Watson, 546–47
 - defined, 550
- drive configurations
 - support for, 119
- drive letters
 - assigning, 129
 - changing, 156
 - defined, 129, 150
- drivers
 - defined, 102
 - for Plug and Play devices, 82–83
 - for video adapters, 100
- driver signing, 92

Driver Signing Options dialog box, 92
 drives Properties dialog box, 125–26
 dual-boot system, 36–39
 defined, 59
 file systems for, 38–39
 Dump argument, for Sysdiff, 45
 DUN (Dial-Up Networking), 87
 duplexing, 115
 Dynamic Data Exchange (DDE), 246
 defined, 267
 dynamic drives
 converting basic drive to, 158
 creating volumes on, 158
 reverting to basic drive, 160
 Dynamic Host Configuration Protocol (DHCP), 52, 239, 242, 258, 305, 315–16
 defined, 267, 329
 dynamic link libraries (DLLs), 19
 defined, 22, 439
 local procedure calls and, 420
 for Multi-Provider Router (MPR), 249
 dynamic storage, 116–19
 basic storage *vs.*, 118
 defined, 114, 116, 150
 removable storage devices and, 119
 upgrading to, 116–19

E

EAP. *See* Extensible Authentication Protocol (EAP)
 EDIT.COM Properties dialog box, 428–32
 effective policy, 184, 192
 EFS. *See* encrypting file system (EFS)
 e-mail clients, 324
 emergency repair disks (ERDs), 461
 creating, 506, 520–21
 defined, 514
 using, 512
 EMF files. *See* enhanced metafile (EMF) spool files
 Enable Boot Logging option, 485
 Enable VGA option, 485
 encrypting file system (EFS), 221–23
 defined, 224
 enabling, 221–22
 encrypting folder with, 231–32
 private key encryption, 222–23

 public key encryption, 222
 encryption
 private key, 222–23
 public key, 222
 settings for private network connection objects, 314
 End Task button, 383
 energy-saving screen-saver features, 85–86
 enhanced metafile (EMF) spool files, 347–48, 349
 defined, 369
 Entire Network, 147, 290
 environmental policies, 213
 environmental variables, 94
 Environmental Variables dialog box, 94
 environment subsystems, 416, 419–22
 defined, 439
 Win32 applications, 422
 ERD. *See* emergency repair disks (ERDs)
 Error events, 397
 error messages, 11
 errors
 in boot process, 492
 locating with ScanDisk, 130
 Ethernet frame types, 282–83
 Ethernet II, 241
 defined, 267
 Event dialog box, 219–20, 220–21
 Event objects, 20
 events
 defined, 224, 406
 monitoring, 385
 recording in security log, 218
 viewing details with Event Viewer, 413
 Event Viewer, 76, 78, 396–98, 406
 auditing and, 219–21
 defined, 224, 406, 550
 Security log in, 143
 troubleshooting with, 531–33
 uses of, 534
 using, 555
 viewing event details with, 413
 Everyone system group, 180
 execution models
 heavyweight, 5
 lightweight, 5
 Executive Services, 18–20, 416, 421
 defined, 18, 22, 439
 kernel use by, 20

 modules, 18–19
 Explain window, 387
 Explore command, 124
 extended partitions, 114
 defined, 151
 Extend Volume command, 124
 Extensible Authentication Protocol (EAP)
 settings for private network connection objects, 314
 extensions
 defined, 76, 102
 multiple, 76
 single, 76

F

Failure Audit events, 397
 FAT (file allocation table) file system (FAT16), 5, 38
 basic storage drive configurations, 114–15, 116
 boot loader and, 482
 cluster sizes, 120–21
 converting, 123–24
 defined, 23, 151
 file objects, 136–37
 folder objects, 134
 installation and, 41
 mounted volume objects, 138–39
 NTFS volumes and, 122, 145, 162–63
 partitions, 54, 482
 removing Windows 2000 from, 58–59
 support of, 116, 119–21
 FAT32, 5, 13, 38
 basic storage drive configurations, 114–15, 116
 cluster sizes, 120–21
 converting, 123–24
 defined, 23, 120, 151
 file objects, 136–37
 folder objects, 134
 installation and, 41
 migrating to NTFS, 122
 mounted volume objects, 138–39
 partition boot sector, 481
 support of, 116, 119–21
 fault tolerance, Registry, 461–62
 Favorites directory, user profile, 181

Favorites Menu, Microsoft Management Console (MMC), 75
 Fax applet, 86
 fax capabilities, 86
 enabling receiving, 377–78
 support for, 367–68
 Fax Service Management, 78, 368
 FDDI. *See* Fiber Distributed Data Interface (FDDI)
 FDISK/MBR command, 546
 FDISK utility, 41
 defined, 59
 partitioning disk with, 66–67
 Fiber Distributed Data Interface (FDDI), 241
 defined, 267
 File and Printer Sharing for Microsoft Networks, 281
 filenames. *See* long filenames (LFNs)
 file objects, 20
 FAT/FAT32, 136–37
 NTFS, 135–36
 File Replication Service log, 532
 files
 compression of, POSIX and, 123
 making available offline, 326–28
 NTFS permissions, 139–44
 setting permissions for, 232–33
 file service mechanisms, 243, 244
 File System Manager, 20
 file systems, 5–6, 113–49. *See also* FAT (file allocation table) file system (FAT16); FAT32; NTFS
 basic storage, 114–16
 converting between, 123–24
 defined, 59
 disk management actions, 124–32
 drive configurations, 119
 for dual-boot operations, 38–39
 dynamic storage, 114, 116–19
 file system object-level controls, 132–39
 Microsoft Distributed File System (DFS), 149, 150
 NTFS permissions, 139–45
 object-level controls, 132–39
 permissions problems, 148
 shared folders, 145–47
 Windows 2000 support of, 119–24
 File Systems Manager, 19
 File Transfer Protocol (FTP), 240, 259
 defined, 267
 FilterKeys, 81

Filter tab, Log Properties dialog box, 396–97
 floppy setup disks, 40
 flush, 461–62
 Folder console, 78
 folder objects
 FAT/FAT32, 134
 NTFS, 132–34
 Folder Options applet, 87
 folder redirection, 504
 defined, 514
 folders
 compressing and decompressing, 160
 making available offline, 326–28
 NTFS permissions, 139–44
 optimizing access, 161
 setting permissions for, 232–33
 shared, 145–47, 162
 fonts
 listing, 87
 Fonts applet, 87
 Fonts tab, System Monitor Properties dialog box, 392
 Font tab, DOS Properties dialog box, 429, 430
 Format command, 124
 formatting
 defined, 59
 partitions, 37
 form feed commands, 289
 FQDN. *See* fully qualified domain names (FQDNs)
 fragmentation
 defined, 131, 151
 of hard drives, 131–32
 frame types
 autodetection of, 238, 283
 defined, 293
 NWLink configuration and, 282–83
 fresh (clean) installation, 49
 defined, 60
 front-end processors (FEP), 302
 FTP. *See* File Transfer Protocol (FTP)
 FTP client, 324
 FTP Server code module, 325
 Full Access format, 76
 Full Control (files) permission, 140
 Full Control (folders) permission, 140
 full (normal) backups, 509
 defined, 515
 fully qualified domain names (FQDNs), 240, 260

G

Game Controllers applet, 87
 gateways
 default, 262
 defined, 329
 RAS server as, 305
 GDI. *See* graphical device interface (GDI)
 General tab
 Log Properties dialog box, 396
 Phone and Modem Options applet, 322
 Printer Properties dialog box, 356
 Properties dialog box, 126–27, 133–39
 System Monitor Properties dialog box, 390, 391
 user account's Properties dialog box, 175
 global groups, 178, 192
 Global Policy snap-in, 213
 graphical device interface (GDI), 345, 346
 defined, 369
 printing process and, 352
 graphics device drivers, 19
 Graph tab, System Monitor Properties dialog box, 391–92
 group membership
 changing, for imported user accounts, 198
 changing, for local user accounts, 199–200
 defining, 179–80
 selecting, for local user accounts, 175–76
 of user accounts, 172–73
 group permissions, 173
 group policies
 defined, 184, 193
 effective policy, 184
 order of application of, 184
 Group Policy tool, 78, 213
 groups
 assigning access rights through, 177–78
 changing permissions of, 141
 creating, 180
 default, 180
 defined, 167, 177
 deleting, 200
 global, 178

- local, 177–80
 - system, 180–81
- Groups folder, in Local Users and Groups MMC snap-in, 173, 177–80
- Guest account, 169
- guest direct connection objects, 321
- Guests group, 180
- GUI portion of setup, 55–57

H

- handles, 384, 406
- hard disks
 - defragmenting, 131–32
 - disk space support for, 8
 - freeing space on, 129–30
 - maximum number of partitions, 114
 - monitoring, 409–410
 - partitioning, 41
 - replacing, 404–405
 - troubleshooting, 544–45
- hardware. *See also* devices
 - detecting, 484
 - device conflicts, 95–96
 - installing devices, 82–83, 94–97
 - non-Plug and Play devices, 95
 - RAS, installing, 321
 - removing devices, 84
 - troubleshooting problems, 536
 - Windows 2000 Professional requirements, 9–11
- hardware abstraction layer (HAL), 18
 - defined, 23
 - function of, 20
- hardware compatibility list (HCL), 9–11
 - defined, 23
 - finding, 10
 - importance of, 10–11
- hardware profiles, 98–99
 - creating, 98–99
 - defined, 98, 102
 - for mobile computers, 109–110
 - reordering, 99
- Hardware Profiles dialog box, 98
- Hardware tab
 - Properties dialog box, 127
 - System applet, 91–92
- HCL. *See* hardware compatibility list (HCL)
- heavyweight execution models, 5
- Help command, 124
- high contrast color scheme, 82
- HIMEM.SYS, 426
- hives, 449
 - defined, 466
- HKEY, 448
- HKEY_CLASSES_ROOT key, 454–55
 - defined, 467
- HKEY_CURRENT_CONFIG key, 455
 - defined, 467
- HKEY_CURRENT_USER key, 455–56, 460
 - defined, 467
- HKEY_LOCAL_MACHINE key, 448–49, 451, 461
 - defined, 467
- HKEY_LOCAL_MACHINE\
 - Hardware subkey, 452, 492
 - Description subkey, 452
 - DeviceMap subkey, 452
 - ResourceMap subkey, 452
- HKEY_LOCAL_MACHINE\SAM subkey, 452, 460
- HKEY_LOCAL_MACHINE\
 - Security subkey, 453, 460
- HKEY_LOCAL_MACHINE\
 - Software subkey, 453, 460
 - Classes subkey, 454
- HKEY_LOCAL_MACHINE\
 - System subkey, 453–54, 460, 491, 492–93
 - ControlSet002\Control subkey, 448–49
 - Control subkey, 453
 - CurrentControlSet\Hardware Profiles\Current subkey, 455
 - Enum subkey, 453
 - Hardware Profiles subkey, 453
 - Services subkey, 453
 - value entries, 454
- HKEY_USERS key, 455, 456, 460, 461
 - defined, 467
- H node, 239
- home folder, 176
- host direct connection objects, 320–21
- HOSTS file, 261
 - defined, 267
 - viewing, 274
- hot fixes, 547–49
 - defined, 550

- hot swapping, 97

I

- ICMP. *See* Internet Control Message Protocol (ICMP)
- identification
 - defined, 224
 - logon, 205
- idle disconnect, 302
 - defined, 329
- idle time before hanging up
 - for private network connection objects, 311
- IEEE 802.X, 241
- ignore errors
 - in boot process, 492
- imported user accounts, 171–73
 - changing group membership for, 198
 - defined, 193
 - importing, 198
- Import Foreign Disks command, 124
- incoming connection objects
 - configuring Windows for, 319–20
 - creating, 338
- incremental backups, 509
 - defined, 514
- Indexing Service tool, 78, 535
- Inf argument, for Sysdiff, 45
- infinite regression mount points, 129
- Information events, 397
- inheritance
 - defined, 139
 - NTFS files and folders and, 139
 - of permissions, 139, 141
- initial start-up sequence, 479–81
- input message queues
 - defined, 439
 - in Win32 applications, 423–24
- installation
 - advanced setup options, 53
 - automation options, 46–47
 - CD-ROM, 47–48
 - clean (fresh), 49
 - customizing with Sysdiff utility, 44–45
 - dual-boot, 36–39
 - GUI portion, 55–57
 - hardware, 94–97
 - launching, 47–48
 - network, 40, 48
 - with or without floppy disks, 40

planning, 39–41
 removable media, 97
 setup boot disks, 40
 setup options, 48–53
 step-by-step, 53–57
 text-only portion, 54–55
 troubleshooting problems, 535–37
 types of, 40
 unattended, 41–43
 upgrade, 49
 upgrading *vs.*, 36–37
 Windows 2000 Professional, 35–58
 Windows 2000 Support Tools, 67
 instances, 386, 406
 Institute of Electrical and Electronic Engineers (IEEE), 122
 Integrated Services Digital Network (ISDN), 241, 299
 defined, 329
 IntelliMirror, 503, 504–506
 application installation and repair with, 505–506
 data backup with, 504–505
 defined, 504, 514
 PC configuration recovery with, 505
 Interactive system group, 181
 Internal Procedure Call (IPC)
 Manager, 18, 19
 Internet
 access to, 13–14
 tools for, 323–26
 Internet Activities Board (IAB), 257
 Internet connection objects, 317–18, 335–37
 Internet Connection Sharing
 configuring, 339–40
 enabling, 315–16
 troubleshooting, 316
 Internet Control Message Protocol (ICMP), 241, 242, 257
 defined, 267
 Internet Engineering Task Force (IETF), 303
 Internet Explorer. *See* Microsoft Internet Explorer
 Internet Information Services (IIS), 325, 535
 Internet network access protocols, 303–305
 Internet Networking Center (InterNic). *See* InterNIC
 Internet Options applet, 87–88

Internet printers, 364, 378–79
 Internet Printing Protocol (IPP), 364
 defined, 369
 Internet Protocol (IP), 241, 242, 255–57
 defined, 267
 Internet Protocol (IP) addresses, 255–57
 classes of, 256–57
 private address ranges, 263
 specifying, 263
 uniqueness of, 257
 Internet Protocol (IP) names, 260
 Internet Protocol Security (IPSec), 14, 214–15, 301, 302
 defined, 224, 329
 IP Security Policy console, 78
 predefined, 215
 Internet Protocol (TCP/IP)
 option, 281
 Internet Protocol (TCP/IP)
 Properties dialog box, 56, 253
 TCP/IP configuration using, 263
 Internetwork Packet Exchange (IPX), 238, 279, 292
 address conflicts and, 239
 defined, 293
 direct hosting over, 238
 frame types, autodetection of, 238
 Internetwork Packet
 Exchange/Sequenced Packet
 Exchange (IPX/SPX), 238, 239–42, 279, 292
 advantages of, 239–42
 defined, 267, 293
 drawbacks of, 242
 history of, 239
 InterNIC, 239, 242, 257
 private IP addresses, 263
 interprocess communications (IPC), 243–47
 defined, 243, 267
 file service mechanisms, 243, 244
 programming interfaces, 243, 244–47
 I/O Manager, 18
 components, 19
 defined, 19
 I/O port
 defined, 102
 hardware resource conflicts and, 95–96

IP addresses. *See* Internet Protocol (IP) addresses
 IPC. *See* interprocess communications (IPC)
 IPP. *See* Internet Printing Protocol (IPP)
 IP Security (IPSec). *See* Internet Protocol Security (IPSec)
 IP Security Policy console, 78
 IPv4, 257
 IPv6, 257
 IPX. *See* Internetwork Packet Exchange (IPX)
 IPX/SPX. *See* Internetwork Packet Exchange/Sequenced Packet Exchange (IPX/SPX)
 IRQ (interrupt request)
 defined, 102
 hardware resource conflicts and, 95
 ISDN. *See* Integrated Services Digital Network (ISDN)

J
 joysticks, 87

K
 Kerberos authentication, 6–7, 14, 211–212
 defined, 23, 224
 v5, 212
 kernel
 defined, 18, 23, 439
 function of, 20
 initializing, 492
 loading, 491
 kernel mode, 16, 18–21, 21–22, 421
 crashes in, 417
 defined, 23, 439
 user mode *vs.*, 417
 keyboard, 88
 Keyboard applet, 88
 keys (Registry), 448–51
 backing up, 473–74
 data types, 449–50
 defined, 468
 editing, 450–51
 functions of, 451–56
 restoring, 474

L

- language monitor, 350
 - defined, 370
 - printing process and, 352
- Language Options, 49
- languages
 - multiple, enabling, 111
- LanManager, 282
- LAN protocols
 - Remote Access Service and, 301
- Last Known Good Configuration (LKGC), 464–65, 485, 492, 493
 - defined, 468, 495
 - rebooting with, 501
- Layer 2 Tunneling Protocol (L2TP), 14, 302, 304
 - defined, 329
- lead characters
 - for separator page code, 360
- LegalNoticeCaption, 208
- LegalNoticeText, 209
- legal security warning message, 208–209, 230
- LFNs. *See* long filenames (LFNs)
- License Agreement, 69
- lightweight execution models, 5
- Limited Access/Multiple Windows
 - format, 76
- Limited Access/Single Window
 - format, 76
- Link objects, 20
- Link to Web Address console, 78
- Linux, 37
- List Folder Contents permission
 - NTFS, 140
- List Folder/Read Data permission, 142
- LKGC. *See* Last Known Good Configuration (LKGC)
- LMHOSTS file, 262, 264
 - defined, 267
 - viewing, 274
- load phase, 478, 490–93
 - defined, 496
 - initializing the kernel, 492
 - loading the kernel, 491
 - logging on, 493
 - services load phase, 492–93
 - system startup, 493
- Local Area Connections
 - configuring, 250–51
 - status and properties of, 273, 280–81, 282, 287–89
- Local Area Connections Properties
 - dialog box, 282
 - installing Client Server for NetWare with, 287–89
- Local Area Connection Status
 - dialog box
 - NWLink installation and, 280–81
- local computer policy, 213–18, 223, 232
 - Computer Configuration section, 213, 214–16
 - contents of, 213
 - defined, 213, 224
 - opening, 229
 - User Configuration section, 213, 216–18
- Local Computer Policy control
 - dialog box 217
- local computer security, 204
 - defined, 224
- locale settings, 111
- local group policy, 184–91
- local groups, 177–80
 - creating, 180, 200
 - defined, 178, 193
 - displaying members of, 177
 - naming, 179
- local printers, 355, 375
- local procedure calls (LPCs), 245, 420–21
 - defined, 439
- local profiles, 182, 183, 184
 - creating, 183
 - defined, 183, 193
- local security policy
 - account lockout policy, 186–87
 - audit policy, 187–88
 - changing, 200–202
 - disabling default username, 208, 229
 - managing, 184–91
 - password policy, 185–86
 - security options, 190–91
 - user rights policy, 188–90
- Local Security Policy tool, 77, 177, 184–91, 200–202
 - defined, 193
- Local Settings directory, user
 - profile, 181
- local user accounts
 - changing group membership for, 199–200
 - creating, 171, 199
 - defined, 166, 193
 - displaying, 173
 - managing with Local Users and Groups MMC snap-in, 173–80
 - passwords for, 173
- Local Users and Groups tool, 78, 170, 173–80
 - uses of, 535
- locked out
 - account lockout policy, 186–87
 - automatic account lockout, 211
 - defined, 168, 193
 - local user accounts, 175
- Lockout policy. *See* account lock-out policy
- .log files, 461
- logging on, 167–68, 493
- LogicalDisk counters
 - Current Disk Queue Length, 387
 - Disk Bytes/Transfer, 387
 - % Disk Time, 387
- LogicalDisk objects, 387, 401
- Logical Drives tool, 535
- logical errors, 130
- logical printers, 371
 - defined, 345
 - printer priority setting for, 358–59
- logon authentication, 167–68, 205–206
 - access control and, 207
 - defined, 193
- Logon Dial, 302
- logon dialog box
 - attention sequence and, 207
 - WinLogon process and, 207
- Logon Information dialog box, 168
- logon process
 - adding security warning message, 208–209, 230
 - automatic account lockout, 210
 - automating, 210
 - changing default shell, 209, 230–31
 - customizing, 207–211
 - disabling default user name, 208, 229
 - disabling shutdown button, 209–10
 - requirements for, 207
 - security subsystem and, 17–18
- Logon Script Options, Client Service for NetWare, 288, 289
- logon scripts, 176, 193, 289, 314
- logs and log files, 392–94
 - Application, 396, 398, 532, 550

- Counter, 382, 390, 392–94, 411–12
- Directory Service, 532
- DNS Service, 532
- File Replication Service, 532
- modem, 328
- Ntuser.dat.log, 182
- performance, 392–94, 534
- PPP.log, 328
- Security, 143, 218–21, 396, 398, 532, 550
- selecting Time Range for, 393–94
- System, 328, 396–98, 532, 551
- System Overview, 392
- Trace logs, 392, 407
- transaction, 462, 468
- troubleshooting Remote Access Services with, 328
- using, 393–94
- long filenames (LFNs)
 - defined, 151
 - POSIX and, 123
 - support of, 120
- LPT ports
 - for direct connection objects, 320–21
- L2TP. *See* Layer 2 Tunneling Protocol (L2TP)

M

- MAC addresses
 - Address Resolution Protocol and, 257–58
- Macintosh print processor, 348–49
- mailslots, 244
- Make New Connection Wizard, 306–308, 309, 319, 334–39
- Manage Documents permission, 362
- management information bases (MIBs), 259
- Manage Printers permission, 362
- mandatory profiles
 - creating, 182
 - defined, 182, 193
- mapping network drives, 163
- Mark Partitions Active command, 124
- Master Boot Record (MBR), 57
 - boot process and, 479–81
 - defined, 59, 480, 496
 - troubleshooting, 546
- media errors, 535
- memory
 - architecture, 21
 - hardware resource conflicts and, 96
 - kernel mode *vs.* user mode, 417
 - monitoring, 409–410
- memory bottlenecks, 402
 - defined, 406
- Memory counters, 387–88
 - Available Bytes, 387–88
 - Cache Faults/sec, 388
 - Page Faults/sec, 388
 - Pages/sec, 387–88
- memory pages. *See* pages
- Memory (RAM) objects, 387
- memory space
 - for Win16 applications, 434–35
 - in Win32 applications, 423
- Memory tab, DOS Properties dialog box, 429–30, 431
- Memory usage, 383
- message passing
 - batching messages, 421
 - context switches and, 420–21
- message queues, 435
- Microsoft CHAP (MS-CHAP), 314
- Microsoft Distributed File System (DFS), 149, 150
- Microsoft Internet Explorer, 323
 - obtaining and updating, 323
 - settings, 87
 - user configuration, 216
- Microsoft Knowledge Base, 548–49
- Microsoft Management Console (MMC), 73, 101
 - console, 74–75
 - defined, 74, 102
 - extensions, 74, 76
 - main menu bar, 74
 - opening, 74
 - overview, 74–75
 - snap-ins, 74, 76
 - using, 76–79
- Microsoft networking family, 2–3
 - defined, 2
 - early operating systems, 3–4
 - Windows 98, 2, 3
 - Windows 2000 family, 2–3
- Microsoft Outlook 2000, 324
- Microsoft RAS Protocol (Asynchronous NetBEUI), 305
- Microsoft Windows Hardware Quality Labs, 92
- mirrored volumes, 115
 - defined, 151
- Misc tab, DOS Properties dialog box, 430, 432
- mismatched documents, 359
 - defined, 370
- MMC. *See* Microsoft Management Console (MMC)
- mobile computers, 109–110
- modem log, 328
- modems, 323
- Modems tab, Phone and Modem Options applet, 323
- modes, 16, 23. *See also* author mode; kernel mode; real mode; Safe Mode; Sleep mode; user mode
- Modify (files) permission
 - NTFS, 140
- Modify (folders) permission
 - NTFS, 140
- Monitor and Video Adapter dialog box, 86
- monitoring
 - bottlenecks, 400–401
 - defined, 382
 - with System Monitor, 385–96
- mounted volume objects
 - FAT/FAT32, 138–39
 - NTFS, 137–38
- mounted volumes. *See* mount points
- mount points
 - creating, 129, 156–57
 - defined, 129, 151
 - deleted, 157
 - infinite regression, 129
- mouse
 - controlling with numeric keypad, 82
 - modifying functions of, 88
- Mouse applet, 88
- moving NTFS objects, 144–45
- MPR. *See* Multi-Provider Router (MPR)
- .msc files, 74, 76
- MS-CHAP, 314
- MS-DOS, 5
 - defined, 23
- MSN (Microsoft Network)
 - connecting to, 317
 - as proxy server, 317

multiboot systems, 36–39, 59, 493–94

Multilink

- enabling, for private connection objects, 311

Multilink PPP, 301, 305

- defined, 329

Multilink PPP RAS, 302

multimedia

- Sounds and Multimedia applet, 91

multiple devices

- enabling, for private connection objects, 311

multiple run-time environments, 419

- See also* environment subsystems

Multiple Universal Naming Convention Provider (MUP), 248–49

- defined, 268

multiple Windows operating systems, 494

multiprocessing, 7, 23

Multi-Provider Router (MPR), 249

- defined, 268

multitasking, 4–5

- cooperative, 4–5, 22, 432
- defined, 4, 23, 439
- preemptive, 4, 24

multithreading

- advantages of, 422–23
- defined, 5, 23, 439
- in Win32 applications, 422–23

multi-user systems, 167, 193

MUP. *See* Multiple Universal Naming Convention Provider (MUP)

mutual authentication, 212

My Documents directory, 181

N

named pipes, 244

naming conventions, 169–70

- defined, 169, 193

NBF transport protocol, 237

NBT (NetBIOS over TCP/IP), 239, 242

NCP. *See* NetWare Core Protocol (NCP)

NDIS. *See* Network Device Interface Specification (NDIS); Network Driver Interface Specifications (NDIS)

NDS database. *See* Novell Directory Services (NDS) database

NDS tree, 286

- assigning default, 288–89
- connecting to network resources, 290
- defined, 293

NetBEUI. *See* NetBIOS Enhanced User Interface (NetBEUI)

NetBIOS. *See* Network Basic Input/Output System (NetBIOS)

NetBIOS Enhanced User Interface (NetBEUI), 236, 237–38, 251

- advantages of, 237
- defined, 268
- drawbacks of, 238
- installing, 275
- removing, 275–76
- Windows 2000 support for, 8

NetBIOS Frame (NBF) transport protocol, 237

NetBIOS gateway, 305

- defined, 329

NetBIOS over IPX, 238

NetBIOS over TCP/IP (NBT), 239, 242

NetDDE. *See* Network Dynamic Data Exchange (NetDDE)

NetHood directory, 181

NET USE command, 366

NetWare-aware applications, 291

NetWare Client for Windows, 291

NetWare Core Protocol (NCP), 284

- defined, 293

NetWare print provider, 348–49

network adapter, 53

- defined, 60

Network Address Translation (NAT), 315

Network and Dial-up Connections, 88, 249–54

- adding incoming connection objects, 319–20
- configuration of Remote Access Services, 306–308
- configuring private network connection objects, 309
- defined, 250
- elements, 251
- File and Advanced drop-down menu functions, 252–53

- installing Client Service for NetWare, 287–89
- installing NWLink, 279–82
- Remote Access Service and, 303
- TCP/IP configuration, 262–66

network authentication, 211–212

- defined, 224

Network Basic Input/Output System (NetBIOS), 282

- defined, 268, 293
- as IPC programming interface, 245

network bottlenecks, 403

- defined, 407

Network Connection Type window, 306–308

Network DDE DSDM (DDE Share Database Manager), 246

Network Device Interface Specification (NDIS), 279

- defined, 293

Network Driver Interface Specification (NDIS), 238

- defined, 268

network drivers, 19

network drives, mapping, 163

Network Dynamic Data Exchange (NetDDE)

- defined, 268
- as IPC programming interface, 246

Network File System (NFS), 240, 258

- defined, 268

network ID

- NWLink and, 283

Network Identification tab

- System applet, 91

Network Identification Wizard, 109

Networking tab, Properties dialog box

- settings for private network connection objects, 314–15

network installation, 48

- making x86 installation files available for, 64–65

network interface cards (NICs)

- installing, 249–50

Network Interface counters

- Current Bandwidth, 387–88
- Output Queue Length, 388–89
- Packets/sec, 389

Network Monitor Drive, 251

network numbers

- defined, 293

- on IPX networks, 284
- NWLink configuration and, 282–84
- Network objects, 387
- Network OLE. *See* Distribute Object Model (DCOM)
- network printers, 344, 370
- troubleshooting, 537–40
- network printing
 - troubleshooting, 366
- network protocols, 236–42
 - NetBEUI, 236, 237–38
 - NWLink, 236, 238–39
 - TCP/IP, 236, 239–42
 - Windows 2000 support for, 8–9
- networks
 - adding components, 236
 - connections, 12
 - deleting components, 236
 - domain model, 15–16
 - installing Windows 2000
 - Professional over, 40
 - monitoring, 409–410
 - troubleshooting, 543–44
 - Windows 2000 and, 9, 249–54
 - workgroup model, 14–15
- Network system group, 181
- New Group command, 180
- New Technology File System (NTFS). *See* NTFS
- NFS. *See* Network File System (NFS)
- N node, 239
- “non-system disk or disk error” message, 480
- normal errors
 - in boot process, 492
- normal (full) backups, 509
 - defined, 514
- Novell Directory Services (NDS), 292
 - database, 285–86, 292–93
 - defined, 293
 - servers, 285
 - tree structure, 286
- Novell NetWare, 277–91
 - bindery support, 285–86
 - Client Service for NetWare (CSNW), 284–85, 287–90
 - compatibility components, 279–90
 - connecting to resources, 290–91
 - NDS support, 285–86
 - NWLink, 279–84
 - overview, 278
 - Windows 2000 Professional and, 278

- Novell Windows Sockets, 238
- Ntbootdd.sys, 482
- Ntdetect.com, 484
- Ntdos.sys, 426
- NTFS, 6, 13
 - cluster sizes, 120–21
 - converting, 123–24
 - defined, 23, 151
 - dual-boot installation and, 38
 - installation and, 41
 - partitions and, 54
 - POSIX support via, 122–23
 - properties of formatted partitions or volumes, 126
 - support of, 116, 119–120, 121–23
 - Windows NT and, 121
- NTFS file objects, 135–36
- NTFS folder object, 132–34
- NTFS mounted volume objects, 137–38
- NTFS objects
 - copying, 144–45
 - moving, 144–45
- NTFS partitions
 - boot loader and, 482
 - partition boot sector, 481
- NTFS permissions
 - changing, 141
 - copying and moving NTFS objects, 144–45
 - file and folder, 139–44
 - managing, 139–45
 - rules, 144
- NTFS volumes
 - basic storage drive configurations, 114–15, 116
 - converting FAT volume to, 162–63
 - moving to FAT volume, 145
 - scanning, 130–31
- Ntio.sys, 426
- Ntldr, 481, 482–84, 486
 - defined, 496
- NTLM (NT LAN Manager) authentication, 213
 - defined, 225
- Ntuser.dat, 181
- Ntuser.dat.log, 182
- Ntuser.ini, 182
- Ntvdn.dll, 426
- Ntvdn.exe, 425, 426
- numeric keypad
 - controlling mouse movements with, 82

- NWLink, 236, 238–39, 279–84, 292
 - advantages of, 238
 - configuring, 282–84
 - defined, 23, 268, 279, 293
 - drawbacks of, 239
 - installing, 279–82, 295–96
 - Windows 2000 support for, 8
- NWLink IPX/SPX/NetBIOS compatible Transport Protocol, 251

O

- object-level controls
 - defined, 132
 - file system, 132–39
- Object Manager, 19, 20
- object-oriented operating systems, 17
- objects
 - access control list for, 206
 - access restrictions, 206
 - defined, 17, 23, 225, 386, 407
 - in NDS tree structure, 286
 - types, 206
- ObjectType objects, 20
- ODI. *See* Open Datalink Interface (ODI)
- Offline Files, 326–28
 - creating and disabling, 341–42
 - synchronization of, 504–505
- Offline Files Wizard, 341–42
- offline network browsing, 87
- Open command, 124
- Open Datalink Interface (ODI), 238, 279
 - defined, 268, 293
- operating systems
 - defined, 2, 23
 - multiple boot, 36–39
- operating systems section, Boot.ini, 486, 487
- organizational units (OUs), 184, 193
- OS/2, 8, 415, 420, 421–22, 436–37
 - bound applications, 436–37
 - components, 436
 - configuration, 437
 - defined, 23, 439
 - version 1.x, 436
 - Windows 2000 support for, 17
- Os2dll.dll, 436
- Os2.exe, 436
- Os2srv.exe, 436
- Os2ss.exe, 436

Outlook Express, 324
 Owner tab
 printer Properties dialog box, 362

P

Packet Internet Groper (PING),
 241, 260
 defined, 268
 testing TCP/IP communications
 with, 273
 page pool size, 459
 pages, 21, 24, 93, 102
 paging files
 defined, 93, 102
 increasing size of, 405
 memory bottlenecks and, 402
 Palo Alto Research Center
 (PARC), 279
 PAP. *See* Password Authentication
 Protocol (PAP)
 parent processes
 crashes of, 417
 defined, 419, 439
 partition boot sector
 boot process and, 480–81
 defined, 480, 496
 Partition Magic, 37
 partitions
 active, 114
 basic storage, 114–16
 boot, 116
 creating, 41, 54, 66–67, 155–56
 defined, 60, 114, 151
 deleting, 157
 destroying, 57–58
 extended, 114
 formatting, 37, 55
 maximum number of, 114
 primary, 114
 Properties dialog box for, 126–27
 system, 116
 partition table, 479–80
 Password Authentication Protocol
 (PAP), 314
 password policy, 185–86, 193
 passwords, 166, 204
 defined, 225
 for locally created groups, 173
 logon authentication and, 205
 properties for local user
 accounts, 175
 restrictions on, 185–86
 security subsystem and, 17–18
 selecting, 205
 setting, 177
 Pause Printing, 354
 PCI (Peripheral Component
 Interconnect) devices, 100
 PCMIA (PC) cards, 99–100
 defined, 102
 peer-to-peer networks, 14–15
 defined, 24
 Peer Web Services (PWS), 325–26, 340
 performance, 381–405
 baseline, 382
 improving, 403–405
 monitoring, 382
 Performance console, 77
 performance counters. *See* counters
 performance logs, 392–94, 534
 Performance Logs and Alerts
 console, 78
 Performance Options dialog box, 398
 Performance tab, Windows Task
 Manager, 384–85
 performance tuning
 application priority settings, 398–99
 bottlenecks, 399–403
 defined, 382
 improving performance, 403–405
 options, 92
 Performance Options, 398
 System Monitor for, 385–398
 Task Manager for, 383–85
 Permission Entry dialog box,
 141–43, 143
 permissions
 group, 173
 NTFS, 139–45
 for printers, 360–62
 setting, 64–65, 232–33
 for shares, 146–47
 troubleshooting, 148, 545–46, 558
 Permissions dialog box, 65
 Permissions tab, Access Control
 Settings dialog box, 141
 Phone and Modem Options applet,
 88, 321–23
 PhysicalDisk counters
 Avg. Z# Disk Bytes/Transfer, 389
 Current Disk Queue Length, 389
 % Disk Time, 389
 PhysicalDisk objects, 387
 physical errors
 locating with ScanDisk, 130
 PING. *See* Packet Internet Groper
 (PING)
 Plug and Play, 4
 defined, 24, 102
 installing devices, 82–83, 94–95
 PCMIA cards and, 99–100
 removing devices, 82–83
 Plug and Play Manager, 19–20
 Point-to-Point Protocol (PPP), 300,
 303–304
 defined, 329
 for private network connection
 objects, 315
 Point-to-Point Tunneling Protocol
 (PPTP), 301–302, 302, 304
 defined, 330
 policies, 167, 193
 portability, 4
 Portable Operating System Interface
 for UNIX. *See* POSIX
 port monitor, 350
 defined, 370
 Port objects, 20
 ports
 defined, 330
 for print devices, 357–58
 Remote Access Service, 302
 Ports tab, Printer Properties dialog
 box, 357–58
 POSIX (Portable Operating System
 Interface for Computing
 Environments), 8, 12, 415, 420
 defined, 24, 122, 151
 file compression and, 123
 support via NTFS, 122–23
 Windows 2000 support for, 17
 POSIX subsystem, 422, 437–38
 defined, 439
 POSIX.1, 122, 422
 POST. *See* power-on self test (POST)
 Power Manager, 19, 20
 power-on self test (POST), 478–79
 defined, 496
 Power Options applet, 86, 89
 PowerQuest, 37
 Power Users group, 180
 PPP. *See* Point-to-Point Protocol
 (PPP)

- PPP.log
 - troubleshooting Remote Access Services with, 328
- PPTP. *See* Point-to-Point Tunneling Protocol (PPTP)
- Preboot Execution. *See* PXE (Preboot Execution)
- preemptive multitasking, 4
 - defined, 24
- preferences, user accounts and, 167
- Preferred Server
 - directory tree *vs.*, 288
- primary partitions, 114
 - defined, 151
- print clients, 344, 370
- print devices
 - configuration of, 362–63
 - defined, 344, 370
 - ports for, 357–58
 - printers (logical) *vs.*, 344, 345
 - selecting, 358
- printer drivers, 347
 - defined, 345, 371
 - role of, 351
 - selecting, 359
 - subcomponents of, 347
- printer graphics drivers, 347
 - defined, 371
- printer interface drivers, 347
 - defined, 371
- Printer Job Language, 350
 - defined, 371
- printer permissions, 360–62, 377
- printer pool, 345, 371
- printers, 89
 - configuring, 355–63
 - connecting to, 344, 369
 - creating, 344, 369
 - defined, 371
 - deleting, 377
 - direct-attached, 344
 - installing, 352–53
 - local, 355, 375
 - logical, 345, 358–59, 371
 - network interface, 344
 - print devices *vs.*, 344, 345
 - priority setting, 358–59
 - remote, connecting to, 355
 - setting default, 354
 - sharing, 351–52, 376
 - troubleshooting, 537–40, 557–58
 - Web support for, 364
- Printers applet, 89
- printing, 343–68
 - across network, 351–52
 - graphical device interface component, 345, 346
 - pausing, 354
 - printer driver component, 347
 - print spooler component, 347–51
 - process, 352
 - terminology, 344–46
 - troubleshooting, 365–67
- Printing Preferences dialog box, 354
- Printing Preferences window, 356, 357
- print jobs
 - commands for, 354
 - defined, 344, 370
 - deleting, 354
 - managing, 353–55
 - properties of, 354
 - spooling options, 359–60
- print monitor, 350–51, 352
- Print Options, Client Service for NetWare, 288–89
- Print permission, 362
- print processor, 349–50
 - defined, 370
- print provider, 348–49
 - defined, 370
 - printing process and, 352
- print queues
 - defined, 345
 - managing, 353–54
 - pausing, 376
 - troubleshooting problems, 537
- print resolution, 344, 370
- print routers, 348
 - defined, 370
 - printing process and, 352
- Print Server Properties dialog box, 364–65
- print servers
 - defined, 345, 370
 - managing, 364–65
- Print Server services, 345, 370
- print spoolers. *See also* spooling components of, 347–51
 - defined, 345, 371
 - printing process and, 352
 - print monitor, 350–51
 - print processor, 349–50
 - print provider, 348–49
 - print router, 348
 - stopping and restarting, 367
 - troubleshooting problems, 538–39
- Print Test Page button, 356
- priority levels
 - application, 398–99, 405
 - base, 398–99, 438
 - base priority, 424
- Private Branch Exchange (PBX), 306
- private IP addresses, 263
- private key encryption
 - encrypting file system (EFS), 222–23
- private network connection objects, 308–136
 - device settings, 309–311
 - dial-up number settings, 309–312
 - networking settings, 314–15
 - Properties dialog box settings, 308–316
 - security settings, 312–14
 - sharing settings, 315–16
- private networks
 - dial-up connections to, 307, 308–16
- processes, 418–19
 - access tokens and, 204
 - child, 419
 - defined, 5, 24, 225, 383, 407, 418, 439
 - interprocess communication, 243–47
 - logon authentication and, 205–206
 - multithreaded, 422–23, 439
 - parent, 419
 - performance of, 383–84
 - shell, 419
- Processes tab, Task Manager, 383–84, 418
 - DOS operating environment, 425
 - priority options shown in, 424
- Process ID number (PID), 383
- Process Manager, 19
- processor bottlenecks, 402–403
 - defined, 407
- Processor counters
 - Interrupts/sec, 389
 - % Processor Time, 389
- Processor (CPU) objects, 387
- processor monitoring, 409–410
- profile path
 - for roaming profiles, 183
 - for user profiles, 176
- profiles, 167. *See also* user profiles
- Profile tab
 - user account's Properties dialog box, 176–77

programming interfaces, 244–47

Program tab

DOS Properties dialog box, 428

progress while connecting, 311

prompts, 311

Properties command, 124

Properties dialog box

Alert objects, 395–96

Boot.ini file, 490

direct connection objects, 321

DOS (FAT16) executable files,
428–32

drives, 125–26

enabling EFS in, 221–22

General tab, 126–27

Hardware tab, 127

information displayed in, 125–28

Local Computer Policy controls,
217–18

Logs, 396–97

managing shared folders with,
145–47

NTFS folder objects, 132–34

NTFS permissions, 140–41

partitions, 126–27

printer configuration with, 355–63

print jobs, 354

Print Server, 364–65

private network connection objects,
308–316

Quota tab, 128

Security tab, 127

Sharing tab, 127

System Monitor, 390–92

Tools tab, 127

user accounts, 172–73, 173–77

volumes, 126–27

VPN connection objects, 318–19

proxy servers, 317–18

defined, 317, 330

MSN as, 317

public key encryption, 222

public key policy, 214

defined, 225

push technologies

Internet Explorer support for, 323

PWS. *See* Peer Web Services (PWS)

PXE (Preboot Execution), 513

defined, 514

Q

QoS Packet Scheduler, 251

queues. *See also* print queues

input message, 423–24

thread, 423

Quota tab

Properties dialog box, 128

R

radix types, 449

RAID 5 volumes, 115

defined, 151

RAM (random access memory)

adding, 404

Windows 2000 support for, 8

RARP. *See* Reserve Address

Resolution Protocol (RARP)

RAS. *See* Remote Access Service
(RAS)

RAS SLIP. *See* Microsoft RAS

Protocol (Asynchronous NetBEUI)

RAW spool files, 347–48, 349

defined, 371

Reactivate Disk command, 125

Reactivate Volume command, 125

Read Attributes permission, 142

Read & Execute (files) permission, 140

Read & Execute (folders) permis-
sion, 140

Read Extended Attributes permis-
sion, 142

Read permission, 139, 142

real mode, 426, 439

realtime monitoring

defined, 386

with System Monitor, 386–92

Recent directory, user profile, 181

Recovery Console, 510–512

accessing, 511

defined, 515

installing, 523–24

options, 511–12

uninstalling, 524–25

redial attempts, 311

redirectors, 247–49

Client Service for NetWare, 284

defined, 247, 268

Multiple Universal Naming

Convention Provider, 248–49

Multi-Provider Router, 249

Server service, 248

Universal Naming Convention
names, 249

Workstation service, 247–48

Redir.exe, 426

Refresh command, 125

Regback.exe, 466

REG_BINARY data type, 450

defined, 468

Regdump.exe, 466

REG_DWORD data type, 450

defined, 468

REG_DWORD_BIG_ENDIAN

data type, 450

REG_DWORD_LITTLE_ENDIAN

data type, 450

Regedit, 448, 457–58

defined, 457, 468

Registry backups with, 463

searching for value entries with, 473

viewing value entries with, 472

Regedt32, 448, 457–58

defined, 457, 468

Registry backups with, 463

using, 474–75

viewing security with, 475

Reg.exe, 466

REG_EXPAND_SZ data type, 450

defined, 468

Regfind.exe, 466

REG_FULL_RESOURCE_DESCR

IPTOR data type, 450

Regini.exe, 466

Regional Options applet, 90, 111

regional schemes, 90

Registry, 447–66. *See also* Regedit;

Regedt32

backing up, 463–64

defaults and, 450–51

defined, 447, 468

editing, 448, 456–58

fault tolerance, 461–62

information stored in, 448

keys, 448–51, 451–56

overview, 448–51

precautions when editing, 458

Resource Kit, 451, 465–66

restoring, 464–65

size limitations, 459

storage files, 460–61

structure of, 448

- Registry Editors. *See* Regedit; Regedt32
 - REG_LINK data type, 450
 - REG_MULTI_SZ data type, 450
 - defined, 468
 - Regrest.exe, 466
 - REG_SZ data type, 450
 - defined, 468
 - Remote Access Service (RAS), 299–328
 - accept incoming connections
 - option, 308, 319–20
 - clients, 300
 - components, 300–301
 - configuration of, 306–321
 - connect directly to another
 - computer option, 308, 320–21
 - connect to a private network
 - through the Internet option, 308, 318–19
 - defined, 300, 330
 - dial-up to private network option, 307, 308–16
 - dial-up to the Internet option, 307, 317–18
 - features in Windows 2000, 301–303
 - hardware installation, 321
 - installing hardware, 321
 - Internet network access protocols, 303–305
 - Internet tools and, 323–26
 - LAN protocols, 301
 - Offline Files, 326–28
 - phone and modem options, 321–23
 - ports, 302
 - protocols, 300
 - remote control *vs.*, 301
 - security, 300–301
 - servers, 301, 318–20
 - telephony features, 306
 - terminal services *vs.*, 301
 - troubleshooting, 328, 540–43
 - uses of, 300
 - WAN connectivity, 300, 303
 - remote control, 301
 - remote execution (rexec), 260
 - defined, 260
 - Remote Installation Preparation (RIPrep), 513
 - defined, 515
 - Remote Installation Services (RIS), 46, 512–13
 - defined, 52, 59
 - remote OS installation, 512–13, 515
 - remote printers
 - connecting to, 355
 - Remote Procedure Call (RPC)
 - components, 246
 - as IPC programming interface, 245–46
 - remote shell (rsh), 260
 - defined, 268
 - removable media
 - defined, 97, 151
 - dynamic storage and, 119
 - installing, 97
 - Removable Storage tool, 78, 97, 535
 - Remove Disk command, 125
 - rendering, 345–46, 371
 - Replicator group, 180
 - Request for Comments (RFCs). *See* RFCs (Request for Comments)
 - Rescan Disks command, 125
 - Reserve Address Resolution Protocol (RARP), 241
 - defined, 268
 - resolution, print, 344
 - Resource Kits (RKs), 549
 - resources, 167, 193
 - restartable file copy, 302
 - defined, 330
 - Restore Basic Disk Configuration
 - command, 125
 - Revert to Basic Disk command, 119, 125
 - rexec. *See* remote execution (rexec)
 - RFCs (Request for Comments), 303–304, 305
 - RIPrep. *See* Remote Installation Preparation (RIPrep)
 - roaming profiles, 182, 183–84
 - creating, 183
 - defined, 183, 194
 - routing protocols, 240
 - RPC. *See* Remote Procedure Call (RPC)
 - rsh (remote shell). *See* remote shell (rsh)
 - Run command, 434
 - Run Login Script option
 - Client Server for NetWare, 289
 - R utilities, 260
- S**
- Safe Mode, 485
 - with Command Prompt option, 485
 - with Networking option, 485
 - rebooting into, 500–501, 502
 - SAP Agent, 251
 - .sav files, 461
 - ScanDisk, 130–31, 220–21
 - scanners, 91
 - Scanners and Cameras applet, 91
 - Scanreg.exe, 466
 - Scheduled Task folder, 79
 - Scheduled Task Properties dialog box, 79, 80
 - scheduled tasks, 79–80
 - Scheduled Tasks applet, 91
 - Scheduling tab
 - Alert objects Properties dialog box, 396
 - screen savers, 85–86
 - Screen tab, DOS Properties dialog box, 430, 431
 - scripts
 - user configuration, 216
 - SCSI controllers, 479
 - search assistant, 13–14
 - sectors, 120, 151
 - Secure Server (Require Security)
 - policy, 215
 - Secure Sockets Layer/Transport Layer Security (SSL/TLS), 212
 - defined, 225
 - security, 203–23
 - auditing, 218–21
 - domain, 211–13
 - encrypting file system (EFS), 221–23
 - features, 14
 - local computer policy, 213–18
 - local security policy, 184–91
 - logon process customization, 207–211
 - NTFS permissions, 139–45
 - printer permissions, 360–62
 - Remote Access Service and, 300–301
 - settings for private network connection objects, 312–14
 - Windows 2000 features, 6–7, 17–18, 204–207
 - Security Accounts Manager (SAM)
 - defined, 468

- Registry subkeys related to, 452
- Security Configuration and Analysis console, 78
- security ID (SID), 205
 - defined, 225
- Security logs
 - auditing, 218–21
 - defined, 550
 - in Event Viewer, 396, 398
 - information recorded in, 532
 - recording, 219–21
 - size of, 221
- security options
 - default settings, 190–91
 - defined, 194
 - local security policy, 190–91
- Security Reference Monitor (SRM), 18, 19
- Security Settings, 216
- Security tab
 - Printer Properties dialog box, 360–62
 - Properties dialog box, 127, 140–41
- Security Template console, 78
- security warning message, 208–209, 230
- See UNC names, Universal Naming Convention (UNC) names
- Select Groups dialog box, 175–76
- Select NetWare Logon dialog box, 288–89
- Select Network Component Type dialog box, 281
- Select Network Protocol dialog box, 281
- SentTo directory, user profile, 181
- separator page codes, 360, 361
- separator page processor, 352
- separator pages, 360
- Sequenced Packet Exchange (SPX), 279, 292
 - defined, 268, 294
- Serial Line Internet Protocol (SLIP), 300, 305
 - defined, 330
 - for private network connection objects, 315
- Server.exe, 248
- Server Message Block (SMB), 284
 - defined, 294
- Server (Request Security) policy, 215
- servers
 - in domain model, 15
 - print, 345
 - spoofed, 212
 - in workgroup model, 14
- Server service, 248
 - defined, 268–69
 - verifying startup of, 559–60
- service packs, 547–49
 - applying, 559
 - defined, 551
 - uninstalling, 559
- services
 - Control Panel and, 81
 - defined, 103
 - load phase, 492–93
- Services tool, 77, 78
 - uses of, 535
- setup. *See* installation
- setup boot disks, 40
 - creating, 65
 - defined, 60
- Setup Manager Wizard, 43, 47, 68
 - creating answer file using, 67–71
 - creating UDF in, 44
 - defined, 60
- severe errors, in boot process, 492
- shared folders
 - creating, 162
 - folder icon, 147
 - managing, 145–47
- Shared Folders tool, 78, 534
- shared memory space, 434
- shared printers, 344, 354, 376
- Share Permissions dialog box, 146
- shares
 - defined, 129, 151
 - permission levels, 146–47
- Sharing tab
 - Printer Properties dialog box, 356–57
 - private network connection objects
 - Properties dialog box, 314–15
 - Properties dialog box, 127, 145–47
- shell processes, 205, 419
- shells
 - changing default, 209, 230–31
 - defined, 225
- Shiva Password Authentication Protocol (SPAP), 314
- ShowSounds, 81
- Shutdown button, 209–210
- ShutdownWithoutLogon, 209
- Simple Mail Transfer Protocol (SMTP), 240, 242, 259
 - defined, 269
- Simple Network Management Protocol (SNMP), 240, 259
 - defined, 268
- simple volumes, 114
 - defined, 152
- Sleep mode, 210
- SLIP. *See* Serial Line Internet Protocol (SLIP)
- SMB. *See* Server Message Block (SMB)
- SMTP. *See* Simple Mail Transfer Protocol (SMTP)
- Snap argument, for Sysdiff, 45
- snap-ins
 - default, 78
 - defined, 74, 76, 103
 - extensions for, 74, 76
 - for Microsoft Management Console (MMC), 74, 76
- SNMP. *See* Simple Network Management Protocol (SNMP)
- software policies, 213
- Software Settings
 - in User Configuration folder, 216
- Sounds and Multimedia applet, 91, 108–109
- sound schemes, 91
 - custom, 108–109
- SoundSentry, 81
- Source tab, System Monitor
 - Properties dialog box, 390, 391
- spanned volumes, 114–15
 - defined, 152
- SPAP. *See* Shiva Password Authentication Protocol (SPAP)
- splash screen, 63–64
- spoofed servers, 212
- spool files
 - changing location of, 377
 - deletion of, 349
 - types of, 347–48
- spooling. *See also* print spoolers
 - defined, 346, 371
 - print job options, 359–60
- Spoolss.exe, 347
- SPX II, 238
- Srv.sys, 248
- SSL/TLS. *See* Secure Sockets Layer/Transport Layer Security (SSL/TLS)

- standalone home use
 - configuring Windows 2000 Professional for, 109
- standalone snap-ins. *See* snap-ins
- Start directory, user profile, 181
- Start menu, 11
 - customizing, 32–33
 - exploring, 29–30
- Startup and Recovery dialog box, 488–89
- Startup and Recovery Options dialog box, 94
- StickyKeys, 81
- stop message errors, 536
- storage. *See also* basic storage; dynamic storage improvements, 13
 - Windows 2000 support for, 8
- Storage tools, 535
- striped volumes, 115
 - defined, 152
- subkeys (Registry), 448
 - defined, 468
- subnet masks, 256
 - defined, 269
- subnets
 - defined, 269
- subsystems, 416, 440
- Success Audit events, 397
- synchronization
 - at log off, 518–19
 - of offline data, 504–505
- synchronization objects, 423, 440
- Synchronize files command, 326
- Sysdiff utility, 44–45
 - defined, 60
 - switches, 45
- Sysprep, 53
- System applet, 91–92
- System Commander, 37
- System Control Panel
 - Advanced tab, 488–89
- System counters
 - Processor Queue Length, 389–90
- system groups, 180–81
- System Information tool, 78, 534
- System key, 462
- System logs
 - defined, 551
 - in Event Viewer, 396–98
 - information recorded in, 532

- troubleshooting Remote Access Services with, 328
- System Monitor, 385–96, 405
 - alerts, 394–96
 - altering display parameters with, 410–411
 - Chart view, 392
 - customizing display in, 390
 - defined, 385, 407
 - Histogram view, 392
 - logs and logging, 392–94
 - monitoring performance with, 409–410
 - realtime monitoring with, 386–92
 - Report view, 392
 - starting, 385
 - viewing Counter log data with, 411–12
- System objects, 387
- System Overview log, 392
- system partition
 - boot process and, 481, 482
 - defined, 116, 152
- System Preparation tool (Sysprep), 46–47
 - defined, 60
- system state data
 - backing up, 508–510
 - defined, 515

T

- Take Ownership permission, 143
- TAPI. *See* Telephony Application Programming Interface (TAPI)
- Taskbar, 32–33
- Task Manager, 383–85, 405
 - exploring, 31–32
 - Ntvdn.exe displayed in, 425
 - priority options shown in Processes tab, 424
 - setting application priority levels with, 399
 - viewing active processes in, 418
- Task Scheduler, 73, 79–80, 101, 107
 - defined, 79, 103
 - troubleshooting, 79
- task scheduling, 91
- TCP. *See* Transmission Control Protocol (TCP)
- TCP/IP. *See* Transmission Control Protocol/Internet Protocol (TCP/IP)
- TDF. *See* Transport Driver Interface (TDF)
- TechNet, 549
- Telephony Application Programming Interface (TAPI), 306
 - defined, 330
- telephony providers, 323
- Telnet, 240, 259
 - defined, 269
- Telnet clients, 324–25
- Telnet Server Administration console, 77
- Templates directory, user profile, 181
- terminal services, 301
- terminal windows, 314
- text editors
 - editing Boot.ini in, 488–89
- text-only portion of setup, 54–55
- TFTP. *See* Trivial File Transfer Protocol (TFTP)
- thread queues, 423
- threads, 418–19
 - defined, 5, 24, 384, 407, 418
 - in multithreaded processes, 422–23
 - viewing number of, 445–46
 - in Win16 applications, 434, 435
- thread switches, 423
- tickets, Kerberos, 212
- time, 85, 108
- timeout setting
 - in [boot loader], 486
- Time Range
 - selecting for log files, 393–94
- time zone, 85, 108
- ToggleKeys, 81
- Tools tab
 - Properties dialog box, 127
- Trace logs
 - defined, 392, 407
 - using, 392
- transaction logs, 462
 - defined, 468
- Transmission Control Protocol (TCP), 240, 242, 258
 - defined, 269
- Transmission Control Protocol/Internet Protocol (TCP/IP), 236, 239–42, 266

Address Resolution Protocol (ARP), 257
 architecture, 255–262
 Berkeley R. utilities, 260
 changing settings, 253
 configuration, 262–66
 configuring, 274–75
 default settings, 263
 defined, 247, 269
 Domain Name Service (DNS), 261
 Dynamic Host Configuration Protocol (DHCP), 258
 File Transfer Protocol (FTP), 259
 HOSTS file, 261
 Internet Control Message Protocol (ICMP), 257
 Internet Protocol (IP), 255–57
 LMHOSTS file, 262
 Packet Internet Groper (PING), 260
 Simple Mail Transfer Protocol (SMTP), 259
 Simple Network Management Protocol (SNMP), 259
 Telnet, 259
 testing communications with PING, 273
 Transmission Control Protocol (TCP), 258
 Trivial File Transfer Protocol (TFTP), 260–61
 User Datagram Protocol (UDP), 258
 Windows 2000 clients and, 7
 Windows Internet Naming Service (WINS), 262
 Windows 2000 support for, 8
 Transport Driver Interface (TDF), 237
 defined, 269
 Traverse Folder/Execute File permission, 142
 Trivial File Transfer Protocol (TFTP), 240, 258, 260–61
 defined, 269
 Troubleshoot button, 86
 troubleshooting, 527–49
 Accessibility Options, 82
 applying hot fixes, 547–49
 applying service packs, 547–49
 boot process, 484–86
 collecting information for, 528–30
 disk problems, 544–45
 with Dr. Watson, 546–47
 fax, 368

 guidelines for, 530–31
 installation problems, 535–37
 master boot record problems, 546
 Microsoft references for, 549
 network printing, 366
 network problems, 543–44
 permissions, 148, 545–46
 principles of, 528–31
 printer problems, 537–40
 printing, 365–67
 RAS problems, 540–43
 Remote Access Service, 328
 Task Scheduler, 79
 tools, 531–35
 user rights, 189

U

UDF. *See* uniqueness database file (UDF)
 UDP. *See* User Datagram Protocol (UDP)
 unattended installation, 41–43
 creating answer file for, 67–71
 defined, 60
 Unattend.txt file, 46, 47
 unauthorized access warning message, 208–209, 230
 uninstall option, 84
 uninterruptable power supply (UPS), 89
 uniqueness database file (UDF)
 creating, 43–44
 defined, 41–42, 60
 Universal Naming Convention (UNC), 249
 defined, 269
 unplug/eject option, 84
 Unplug Or Eject Hardware icon, 100
 upgrade installation, 49
 defined, 60
 Upgrade to Dynamic Disk command, 116–19, 125
 upgrading
 installation *vs.*, 36–37
 preparing computers for, 11
 from Windows 98, 71–72
 from Windows NT, 71–72
 user accounts
 access control and, 166–67
 changing permissions of, 141
 context-sensitive help, 177
 defined, 165, 194, 225
 deleting, 177, 199
 disabling, 175
 domains, 170
 group membership of, 172–73, 175–76
 imported, 171–73, 198
 local, 171
 locking out, 175, 186–87
 logon authentication, 205
 management tools, 170–81
 properties of, 173–77
 renaming, 177
 setting new password for, 177
 types of, 166
 Windows 2000 Professional, 166–67
 User Configuration section, local
 computer policy, 213, 216–18
 User Datagram Protocol (UDP), 240, 242, 258
 defined, 269
 user mode, 16–18, 21–22
 crashes in, 417, 420
 defined, 24, 103, 440
 kernel mode *vs.*, 417
 logon and, 207
 snap-ins and, 76
 usernames
 disabling default, 208, 229
 security subsystem and, 17–18
 user profiles, 98, 181–84
 access control and, 207
 creating, 183
 defined, 181–84, 225
 local, 182, 183, 184
 managing, 182
 mandatory, 182
 material stored in, 181–82
 Profile path designation, 176
 roaming, 182, 183–84
 User Profiles tab, System applet, 92, 182
 user rights
 access tokens and, 205
 assigning, 188–89
 changing, 202
 troubleshooting, 189
 user rights policy, 188–90
 defined, 194
 Users and Passwords applet, 94, 170–73

Users and Passwords dialog box, 171, 172–73
 Users folder
 in Local Users and Groups MMC snap-in, 173–77
 Users group, 180
 Users tab, Users and Passwords applet, 170

V

value entries (Registry)
 data type of, 449
 defined, 448, 468
 parts of, 449
 searching for, with Regedit, 473
 viewing with Regedit, 472
 values (Registry), 448
 defined, 468
 V Communications, 37
 VDD. *See* virtual device driver (VDD)
 VDMs. *See* virtual DOS machines (VDMs)
 VeriSign, 212
 VGA
 rebooting with minimal support, 501
 video adapters, 100–101
 View Menu
 in Microsoft Management Console (MMC), 75
 views, 87
 virtual device drivers (VDDs)
 defined, 40, 426
 redirector, 426
 virtual DOS machines (VDMs),
 421–22, 422, 424–32
 components of, 426
 defined, 440
 environment created in, 425
 ill behaved applications and, 435
 viewing application effects, 444–45
 Win16 applications and, 432
 virtual memory, 19, 24, 93, 103
 Virtual Memory dialog box, 93, 459
 Virtual Memory Manager (VMM),
 18, 388
 defined, 24
 function of, 19
 virtual private networks (VPNs), 14,
 301, 304
 defined, 330
 VPN connection objects, 318–19

volumes
 in basic storage, 114–16
 creating on dynamic drive, 158
 defined, 114, 152
 deleting, 159
 in dynamic storage, 116–19
 extending, 159
 mirrored, 115
 mounted, 129
 Properties dialog box for, 126–27
 RAID 5, 115
 simple, 114
 spanned, 114–15
 striped, 115
 volume sets
 breaking, 114
 defined, 114, 152
 extending, 114
 VPN. *See* virtual private networks (VPNs)

W

wallpaper, 85
 WAN connectivity
 Remote Access Service and,
 301, 303
 Warning events, 397
 Web servers
 managing resources hosted by,
 340–41
 resource management, 325–26
 Win16-on-Win32 VDM (WOW), 432
 components, 433–34
 defined, 440
 Win16 operating environment, 8, 24,
 425, 432–35
 memory space, 434–35
 message queues in, 435
 running in separate and shared
 memory space, 434
 starting application in own address
 space, 443–44
 threads in, 434, 435
 well-behaved applications in, 435
 WOW subsystem, 433–34
 Win32, 7, 8, 421
 defined, 24
 Windows 2000 support for, 17
 Win32 applications, 422–24
 base priorities in, 424
 environment subsystem, 422
 input message queues in, 423–24
 memory space in, 423
 multithreaded processes in, 422–23
 Win 32 Internet API (WinInet)
 as IPC programming interface, 247
 Windows 3.x, 5, 494
 defined, 25
 Windows 95/98, 2, 3, 25, 494
 defined, 25
 98 SE (Second Edition), 3
 updates, 3
 upgrading from, 71–72
 Windows 2000
 architecture, 16–21
 attention sequence, 18, 207
 booting, 477–94
 defined, 1
 environment, 4–9
 modular nature of, 16
 operating with older Windows
 versions, 494
 preparing computers for
 upgrading, 11
 print provider, 348–49
 system architecture, 416–22
 Windows 2000 Advanced Server, 2, 24
 Windows 2000 Datacenter Server,
 2–3, 24
 Windows 2000 Display
 Troubleshooter, 86
 Windows for Workgroups, 25
 Windows 2000 Professional
 Active Directory and, 6
 advanced setup options, 53
 client/server environment, 178
 default groups, 180
 defined, 3, 24
 features, 11–14
 file storage system, 113–49
 hardware requirements, 9–11
 installing, 35–58
 launching installation process, 47–48
 logging on, 167–68
 removing, 57–58
 Windows 2000 Registry. *See* Registry
 Windows 2000 Resource Kit, 451
 Registry backups with, 463–64
 Registry tools, 465–66
 Windows 2000 Server
 client/server environment, 178
 defined, 2, 24
 security and, 203

- Windows 2000 Support Tools, 43, 47, 67
- Windows Component Wizard, 108
- Windows Explorer
 - changing default shell, 209
 - as default shell process, 205
- Windows Installer Service (WIS), 53, 505–506, 519
 - defined, 60, 515
- Windows Internet Naming Service (WINS), 239, 242, 262
 - configuring, 264–65
 - defined, 269
- Windows Manager, 19, 20
- Windows Network (WNet)
 - interface, 246
- Windows NT, 494
 - family of products, 4
 - file systems, 6
 - NTFS and, 121
 - upgrading to Windows 2000 Professional from, 71–72
 - Windows 2000 and, 3
- Windows NT Enterprise Edition, 4
- Windows NT Server, 4
- Windows NT Workstation, 4
- Windows Open System Architecture (WOSA), 306
- Windows Settings, in User Configuration folder, 216
- Windows Sockets API, 242
- Windows Sockets (WinSock) API, 242
 - as IPC programming interface, 245
- WinInet. *See* Win 32 Internet API (WinInet)
- WinLogon, 223
 - customizing logon process with, 207–211
 - defined, 225
- Winnt, 41, 48
 - command-line syntax, 49–50
 - defined, 49, 60
- Winnt32, 41, 48, 49
 - command-line syntax, 51–52
 - defined, 51, 60
- WINS. *See* Windows Internet Naming Service (WINS)
- WIS. *See* Windows Installer Service (WIS)
- wizards, 82, 103
- WMI Control console, 78
- WNet. *See* Windows Network (WNet) interface
- workgroup model, 14–15
 - defined, 24
- Workstation service, 247–48
 - defined, 269
 - verifying startup of, 559–60
- WOW. *See* Win16-on-Win32 VDM (WOW)
- Write Attributes permission, 142
- Write Extended Attributes permission, 142
- Write (files) permission
 - NTFS, 140
- Write (folders) permission
 - NTFS, 140

X

- X.25, 241
 - configuration dialog box, 311
 - defined, 269
- x86-based systems
 - defined, 60
 - installation on, 40
- x86 installation files, 63–65
- Xerox Network System (XNS)
 - protocol suite, 279